L	Hits	Search Text	I DB	I mima atama
Number	HILS		DB	Time stamp
-	0	(locks with partions) and locks.ab.	USPAT	2004/04/26
-	2285	locks with partition	USPAT;	11:33
		-	US-PGPUB;	11:34
1			EPO; JPO;	
			DERWENT; IBM TDB	
-	802	locks near3 partition	USPĀT;	2004/04/26
			US-PGPUB;	15:23
			EPO; JPO; DERWENT;	
			IBM TDB	
-	11	The state of the	USPĀT;	2004/04/26
		near3 locks)	US-PGPUB; EPO; JPO;	11:55
			DERWENT;	
			IBM_TDB	
_	4	((locks near3 partition) and (optimiz\$ near3 locks)) and @ad<=20000929	USPAT;	2004/04/26
		100x5// and Gad\-20000929	US-PGPUB; EPO; JPO;	15:23
			DERWENT;	
_	26	(locks near3 partition) and ((requirement	IBM_TDB	2004/04/05
	20	criteria configuration) near3 locks)	USPAT; US-PGPUB;	2004/04/26
			EPO; JPO;	
			DERWENT;	
-	23	((locks near3 partition) and	IBM_TDB USPAT;	2004/04/26
:		((requirement criteria configuration)	US-PGPUB;	11:56
		near3 locks)) and @ad<=20000929	EPO; JPO;	
			DERWENT; IBM TDB	
-	14		USPAT;	2004/04/26
		((requirement criteria configuration)	US-PGPUB;	15:22
		near3 locks)) and @ad<=20000929) and global and local	EPO; JPO; DERWENT;	
			IBM TDB	
_	1	<pre>(((locks near3 partition) and ((requirement criteria configuration)</pre>	USPAT;	2004/04/26
		near3 locks)) and @ad<=20000929) and	US-PGPUB; EPO; JPO;	11:56
		((global and local) near3 locks)	DERWENT;	
_	5	((locks near3 partition) and	IBM_TDB	0004/01/05
	J	((requirement criteria configuration)	USPAT; US-PGPUB;	2004/04/26 12:40
		near3 locks)) and ((creat\$3 set\$4) near3	EPO; JPO;	
		locks)	DERWENT;	
-	1	(((locks near3 partition) and	IBM_TDB USPAT;	2004/04/26
		((requirement criteria configuration)	US-PGPUB;	12:40
		<pre>near3 locks)) and ((creat\$3 set\$4) near3 locks)) and contention</pre>	EPO; JPO;	
			DERWENT; IBM TDB	
-	0	(((atom modelo parorom) and	USPĀT;	2004/04/26
		((requirement criteria configuration) near3 locks)) and @ad<=20000929) and	US-PGPUB; EPO; JPO;	15:27
		global and local and (determin\$3 near3	DERWENT;	
_	_	petition)	IBM TDB	
	ь	(determin\$4 near4 petition) and @ad<=20000929	USPĀT; US-PGPUB;	2004/04/26 16:50
			EPO; JPO;	10.50
			DERWENT;	
_	4737	determin\$4 near4 partition\$3	IBM_TDB USPAT;	2004/04/26
1		,	US-PGPUB;	15:27
			EPO; JPO;	
		į	DERWENT; IBM TDB	
		·	מעד ניועד	

				
-	3306	(determin\$4 near4 partition\$3) and @ad<=20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:27
-	64	((determin\$4 near4 partition\$3) and @ad<=20000929) and (partition\$4 near3 locks)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:28
_	2	(((determin\$4 near4 partition\$3) and @ad<=20000929) and (partition\$4 near3 locks)) and contention	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:30
-	11	(((determin\$4 near4 partition\$3) and @ad<=20000929) and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:47
-	5	(((determin\$4 near4 partition\$3) and @ad<=20000929) and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3) and local and global	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 15:40
-	2	((((determin\$4 near4 partition\$3) and @ad<=20000929) and (partition\$4 near3 locks)) and ((modif\$6 chang\$3 alter\$4) near3 lock\$3) and local and global) and (determin\$3 with method\$5 with partition\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 15:42
-	0		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:43
-	1	(determin\$3 with methodology with partition\$3) and locks	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:43
_	17	((determin\$3 how) near3 partition\$3) and (modif\$6 near3 lock\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:48
-	12	(((determin\$3 how) near3 partition\$3) and (modif\$6 near3 lock\$3)) and @ad<=20000929	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:52
-	5027	(partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:54
-	5	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and contention	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:54
_	0	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 near3 petition\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 15:56
_	0	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 with petition\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 15:56

		<u> </u>		
_	31	((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and	USPAT; US-PGPUB;	2004/04/26 15:56
		(determin\$3 near3 partition\$3)	EPO; JPO; DERWENT; IBM TDB	
-	1	<pre>(((partition\$3 and lock\$3).ab. (partition\$3 and lock\$3).ti.) and (determin\$3 near3 partition\$3)) and</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/04/26 16:24
_	555	<pre>(modif\$4 near3 lock\$3) optimiz\$3 near3 lock\$3</pre>	DERWENT; IBM_TDB USPAT;	2004/04/26
	333	opermizes means rockes	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	16:38
-	375	(optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:26
-	329	((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:26
-	202	(((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<=20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:26
_	0	((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<=20000929) and g06f.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:26
-	88	((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<=20000929) and 7\$/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:27
_	7	(((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<=20000929) and 7\$/\$.ccls.) and 718/1-108.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:31
-	6	<pre>((((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<=20000929) and 7\$/\$.ccls.) and 718/1-108.ccls.) and contention</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:33
-	7	((((((optimiz\$3 near3 lock\$3) and ((creat\$3 allocat\$3) near\$3 partition\$3)) and locks) and @ad<=20000929) and 7\$/\$.ccls.) and 718/1-108.ccls.) and code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:33
-	65	(optimiz\$3 near3 lock\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:45
-	5	((optimiz\$3 near3 lock\$3).ab.) and lock\$3 and partition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 16:42
	689	(optimiz\$3 and lock\$3).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/26 16:42

			<u> </u>	
-	20	((optimiz\$3 and lock\$3).ab.) and lock\$3	USPAT;	2004/04/26
		and partition\$3	US-PGPUB;	16:42
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	1 12	USPAT;	2004/04/26
		(contention optimiz\$6) and 7\$/\$.ccls.	US-PGPUB;	16:47
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	6	(partition\$3 and lock\$3).ab. and (lock\$3	USPAT;	2004/04/26
		with (contention optimiz\$6)) and	US-PGPUB;	16:49
		7\$/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	11	((reduc\$3 minimiz\$3 optimiz\$6) near3	USPAT;	2004/04/26
		(contention locks)).ab. and	US-PGPUB;	16:50
		718/1-108.ccls.	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
-	8	(((reduc\$3 minimiz\$3 optimiz\$6) near3	USPAT;	2004/04/26
	1	(contention locks)).ab. and	US-PGPUB;	16:54
		718/1-108.ccls.) and @ad<=20000929	EPO; JPO;	}
		·	DERWENT;	
			IBM TDB	
-	1	((((reduc\$3 minimiz\$3 optimiz\$6) near3	USPAT;	2004/04/26
		(contention locks)).ab. and	US-PGPUB;	16:50
		718/1-108.ccls.) and @ad<=20000929) and	EPO; JPO;	
		partition\$3	DERWENT;	
			IBM TDB	
_	0	optimiz\$6 with partition with locks	USPAT;	2004/04/30
			US-PGPUB;	11:53
-			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	optimiz\$6 same (partition with locks)	USPAT;	2004/04/30
			US-PGPUB;	12:12
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	(optimiz\$6 same (partition with locks))	USPAT;	2004/04/30
		and contention	US-PGPUB;	12:13
			EPO; JPO;	
	Ì		DERWENT;	
l .	.	//minimina = 0.0	IBM_TDB	1
-	4	((minimiz\$6 reduc\$3 optimiz\$6) near3	USPAT;	2004/04/30
		contention) same (locks with partition\$3)	US-PGPUB;	16:59
			EPO; JPO;	
			DERWENT;	
_	1	("5193204").PN.	IBM_TDB	1 2004 (04 (25
		(J153204).FN.	USPAT	2004/04/30
_	1	("6023753").PN.	Hanne	17:24
	1	(0023/33).FN.	USPAT	2004/04/30
<u>_</u>	1	("6210776") DN	Hansa	17:55
		("6219776").PN.	USPAT	2004/05/02
_	1	("5926091") DM	Habba	08:45
-		("5826081").PN.	USPAT	2004/05/02
L			<u> </u>	08:45